





[Log In](#)[My Schedule](#)[My Favorites](#)[My Contacts](#)**NAVIGATION**[Home](#)[Section/Focus Group](#)[Events](#)[Co-Sponsored](#)[Cross-Listed](#)[SWIRL Themes](#)[AGU On-Demand](#)[EPoster](#)[Index Terms](#)[Meeting Resources](#)[Meeting Website](#)[Technical Support](#)

Click  to add an item to 'My Schedule'.

Click  to add/remove an item to 'My Favorites'.

Click  to add/remove a person to 'My Contacts'.

Click  to access your Schedule

Due to a known issue with Firefox, it is recommended that any printing be done in an alternate browser.



San Francisco | 14 - 18 December 2015

P53E-2184: Regional and Local Temperature Maps of Dwarf Planet Ceres from Dawn/VIR

ABSTRACT

**Friday, 18 December 2015****13:40 - 18:00***Moscone South - Poster Hall*

Log In



My Schedule



My Favorites



My Contacts

NAVIGATION[Home](#)[Section/Focus Group](#)[Events](#)[Co-Sponsored](#)[Cross-Listed](#)[SWIRL Themes](#)[AGU On-Demand](#)[EPoster](#)[Index Terms](#)[Meeting Resources](#)[Meeting Website](#) [Technical Support](#)

Click to add an item to 'My Schedule'.

Click to add/remove an item to 'My Favorites'.

Click to add/remove a person to 'My Contacts'.

Click to access your Schedule

Due to a known issue with Firefox, it is recommended that any printing be done in an alternate browser.



hyperspectral images of Ceres, with improving spatial resolution. VIR operates in the overall spectral range 0.25-5.1 μm , with the main goal of inferring the surface composition of the target in its uppermost layer, as thick as tens of microns.

Taking advantage of the wavelength range longward of 3 μm , VIR can be used as a thermal mapper, i.e. as a tool to derive thermal images and spatially-resolved temperature maps. To do this, the VIR team uses a Bayesian approach to nonlinear inversion that was extensively applied to the Vesta dataset earlier.

Already in February 2015, VIR had the chance to acquire data with a spatial resolution of ~ 11 km/px. Those temperature images revealed that a spot of high-albedo (bright) material, highlighted by the Hubble Space Telescope (HST) earlier and recently associated with the crater Haulani, was cooler than surrounding regions seen under similar solar illumination, whereas the brightest spots on Ceres, in the crater Occator, did not display any thermal contrast. The following Survey phase yielded hyperspectral coverage of Ceres at ~ 1.3 km/px, and the High Altitude Mapping Orbit (HAMO) phase starting in mid-August 2015 is expected to provide VIR data with a resolution of ~ 0.4 km/px. These datasets allow derivation of regional and local temperature maps as well as the study of thermal anomalies at those spatial scales. Due to the low overall thermal inertia of Ceres, the surface temperature is essentially dominated by the instantaneous value of the solar incidence angle. Small values of this angle result in high surface temperatures, and, unlike Vesta, the low obliquity of Ceres ($\sim 4^\circ$) does not result in observable seasonal effects for a given location on the surface. However, different responses to insolation as observed at the local scale may be indicative of differences in density/porosity and thermal conductivity, which is key to constrain thermo-physical modeling.



Log In



My Schedule



My Favorites



My Contacts

NAVIGATION

[Home](#)[Section/Focus Group](#)[Events](#)[Co-Sponsored](#)[Cross-Listed](#)[SWIRL Themes](#)[AGU On-Demand](#)[EPoster](#)[Index Terms](#)[Meeting Resources](#)[Meeting Website](#) [Technical Support](#)

Click to add an item to 'My Schedule'.

Click to add/remove an item to 'My Favorites'.

Click to add/remove a person to 'My Contacts'.

Click to access your Schedule


Due to a known issue with Firefox, it is recommended that any printing be done in an alternate browser.


[Registration Tools](#)[IAPS-INAF](#)[Francesca Zambon *](#)[IAPS-INAF](#)[Maria Teresa Capria](#)[IAPS-INAF](#)[Filippo Carrorro](#)[IAPS-INAF](#)[Mauro Ciarniello](#)[IAPS-INAF](#)[Maria Cristina De Sanctis](#)[IAPS-INAF](#)[Andrea Longobardo](#)[IAPS-INAF](#)[Andrea Raponi](#)[IAPS-INAF](#)[Eleonora Ammannito](#)[University of California
Los Angeles](#)[Jean Philippe Combe](#)[Bear Fight Institute](#)[Harald Hiesinger](#)[University of Münster](#)[Jian-Yang Li](#)[Planetary Science
Institute Tucson](#)[Lucy McFadden](#)[NASA Goddard Space
Flight Center](#)[Norbert Schorghofer](#)[Univ of Hawaii at
Manoa](#)[Stefan Schroeder](#)[German Aerospace
Center DLR Berlin](#)


[Log In](#)[My Schedule](#)[My Favorites](#)[My Contacts](#)


NAVIGATION

[Home](#)[Section/Focus Group](#)[Events](#)[Co-Sponsored](#)[Cross-Listed](#)[SWIRL Themes](#)[AGU On-Demand](#)[EPoster](#)[Index Terms](#)[Meeting Resources](#)[Meeting Website !\[\]\(40770d9ed6ed4f1222ebf89a1396e8b2_img.jpg\)](#)[Technical Support](#)

Click  to add an item to 'My Schedule'.

Click  to add/remove an item to 'My Favorites'.

Click  to add/remove a person to 'My Contacts'.

Click  to access your Schedule

Due to a known issue with Firefox, it is recommended that any printing be done in an alternate browser.



[Session: Vesta and Ceres as Seen by Dawn and Earth-Based Instruments II Posters](#)



Section/Focus Group: [Planetary Sciences](#)

Day: [Friday, 18 December 2015](#)